PAKRO KİMYA
Plastik Hammadde Çözüm Ortağınız

Pakro Kimya Dış Ticaret A.Ş.
İstoç Ticaret Merkezi Aktem Plaza
Kat:5 Daire:33 Bağcılar/İstanbul

0212 659 26 01-02 www.pakrokimya.com.tr
0212 659 26 03 Info@pakrokimya.com.tr

lyondellbasell

Moplen HP602N

Polypropylene, Homopolymer

Product Description

Moplen HP602N is a polyproylene homopolymer manufactured using the Spheripol process. It is known for its optimized balance of stiffness and toughness, and is particularly suitable for injection molding. Potential end use applications include housewares, toys, closures and other packaging items.

Product Characteristics

Status	Commercial: Active
Test Method used	ASTM
Availability	Asia-Pacific, Australia/NZ, Africa-Middle East
Processing Methods	Injection Molding
Features	Good Color Stability, High Gloss , Homopolymer, Good Processability, Good Processing Stability, Good Stiffness , Good Surface Finish, Good Toughness, Low Warpage
Typical Customer Applications	Caps & Closures, Housewares, Opaque Containers, Sports, Leisure and Toys

Typical Properties	Method	Value	Unit
Physical			
Melt Flow Rate (230°C/2.16kg) *Note*: ASTM D1238L	ASTM D 1238	12	g/10 min
Density	ASTM D 1505	0.9	g/cm³
Mechanical			
Flexural Modulus	ASTM D 790	16000	kg/cm²
Tensile Strength @ Yield	ASTM D 638	350	kg/cm²
Tensile Elongation @ Yield	ASTM D 638	12	%
Impact			
Notched Izod Impact (23 °C)	ASTM D 256	3	kg-cm/cm
Hardness			
Rockwell Hardness (R-Scale)	ASTM D 785	104	
Thermal			
Heat deflection temperature at 0.46 N/mm2	ASTM D 648	107	°C

Notes

Typical properties; not to be construed as specifications.

(iii) Additionally, the product(s) may not be used in: (1) U.S. FDA Class III, Health Canada Class IV, and/or European Class III Medical Devices; (2) applications involving permanent implantation into the body; (3) life-sustaining medical applications; and (4) lead, asbestos or MTBE related applications.

All references to U.S. FDA, Health Canada, and European Union regulations include another country's equivalent regulatory classification.

Users should review the applicable Material Safety Data Sheet before handling the product.

Release Date: 06 Dec 2007